



NORD
DYNAMIC

ESTABLISHED
IN 2023



SPEARFISHING

DYNAMICNORD.COM



NORD
DYNAMIC

Sustainable, ecological,
innovative and functional
diving equipment



Masks → *Page 18*

Wetsuits



→ *Page 6*



Page 28
↑
Fins

Snorkels

→ *Page 27*



Spearguns

→ *Page 34*

Content

Our products

6	Wetsuits
18	Masks
27	Snorkels
28	Fins
34	Spearguns
40	Bags
50	Accessories

Service

64	Warranty
64	Product Registration
65	Service & Repair Center
66	Contact



WETSUITS

Different models, colours and thicknesses to satisfy your needs. Furthermore, our neoprene is eco-friendly!

Important note

This product is not available in Europe.



SFS-2

Freedive Wetsuit 1.5 mm 2pc

SFS-3

Freedive Wetsuit 3 mm 2pc

SFS-5


Freedive Wetsuit 5 mm 2pc

Yamamoto Grade 39/45
100% CR neoprene / **Flex lamination for ultra 4-way stretch** / Super flexible and comfortable / **Open Cell-1.5, 3 & 5 mm** / Antibacterial properties / **Low friction, reducing muscle fatigue** / Double-clip system beaver tail – 2 pc suits / **Built-in loading chest pad** / Reinforced knees and rear / **Vented hood releases excess air**

Our Yamamoto 39/45 grade CR wetsuit is super flexible and comfortable. Its outer laminate is 4-way stretch. It incorporates a ventilated hood to release excess air, a load-bearing chest pad, and reinforced knees and back. 1.5, 3 and 5 mm open-cell neoprene inner, double beavertail clip fastening system, and anti-bacterial properties.



90% Neoprene / 10% Nylon

designed in germany  Limestone neoprene



S	M	ML	L
XL	2XL	3XL	

For more details see sizechart on page 16/17



SE-31
Wetsuit 3 mm

SE-51-H
Wetsuit Hood 5 mm

SE-32
Wetsuit 3 mm

SE-52-H
Wetsuit Hood 5 mm



With hood and front zipper / Reinforced shoulders and knees / **Resistant against mechanical abrasion**

This is the perfect wetsuit for dive centers, schools and dive clubs with hood and front zip for a more protected diving experience. The fullsuit with hood and front-zipper is available in 5 – 7 mm. The neoprene is abrasion resistant and the fullsuits have reinforcements on shoulder and knees.

85% Neoprene / 15% Nylon

designed in germany  Limestone neoprene

	Men black/grey	XS	S	M	ML
		L	XL	2XL	3XL
	Women black/grey	XS	S	M	L
		XL	2XL	3XL	

For more details see sizechart on page 16/17





Important note

This product is not available in Europe.



FDS-2

Freedive Wetsuit 1.5 mm 1 pc

Yamamoto Grade 39/45
100% CR neoprene / **Flex lamination** for ultra 4-way stretch / Super flexible and comfortable / **Anti-bacterial properties** / Low friction, reducing muscle fatigue / **Abrasion protection on chest, knees, elbows and buttocks** / Protected back zipper

Our Yamamoto 39/45 grade wetsuit is characterized by being extremely light and elastic in all directions, excellent for swimming, reduces fatigue, resistant, easy to take off and put on. Ergonomic cut and pre-shaped legs and arms. Its camouflage design is perfect for freediving and spearfishing. The chest, elbows, buttocks and knees are reinforced against abrasion by printing polyurethane dots. Its back zipper is protected by an outer flap to avoid tears and abrasion effect. Good antibacterial properties.

90% Neoprene / 10% Nylon



S	M	ML	L
XL	2XL	3XL	

designed in germany  Limestone neoprene

For more details see sizechart on page 16/17



Overview
Wetsuits

Men

SFS-2
SFS-3
SFS-5



1.5/3 mm

- Camo/Blue
- Camo/Brown
- Camo/Green
- Camo/Grey


S
M
ML
L
XL
2 XL
3 XL

5 mm

- Camo/Brown
- Camo/Grey

S
M
ML
L
XL
2 XL
3 XL

FDS-2




1.5 mm

- Camo/Blue
- Camo/Grey

S
M
ML
L
XL
2 XL
3 XL

SE-31



3/5/7 mm

- Black/Grey

XS
S
M
ML
L
XL
2 XL
3 XL

SE-51-H




5/7 mm

- Black/Grey

XS
S
M
ML
L
XL
2 XL
3 XL

Women

SE-32




3/5/7 mm

- Black/Grey

XS
S
M
L
XL
2 XL
3 XL

SE-52-H



5/7 mm


- Black/Grey

XS
S
M
L
XL
2 XL
3 XL

Sizechart
Wetsuits

It's very important that you choose your size carefully. The wetsuit should fit tightly to the body. The neoprene must always be in contact with the skin because pockets of air bags will make you lose thermal power.

These size charts are valid for 3 mm, 5 mm and 7 mm wetsuits.



- A. WEIGHT: As close as you can accurately determine
- B. HEIGHT: From the top of your head to the floor
- C. CHEST: The front surface between the neck and the stomach
- D. WAIST: The part below the ribs and above the hips
- E. HIP: The circumference of the body at the buttocks
- F. TORSO: The trunk of the human body
- G. INSEAM: Inside leg. Measure from crotch to floor.

Women	in cm/inch						
Height	157-163 5'2"-5'4"	160-165 5'3"-5'5"	163-168 5'4"-5'6"	165-170 5'5"-5'7"	168-173 5'6"-5'8"	170-175 5'7"-5'9"	173-178 5'8"-5'10"
Chest	76-81 30-32	81-86 32-34	86-91 34-36	91-97 36-38	97-102 38-40	102-107 40-42	107-112 42-44
Waist	58-64 23-25	64-69 25-27	69-74 27-29	74-79 29-31	79-84 31-33	84-89 33-35	89-94 35-37
Hip	84-89 33-35	89-94 35-37	94-99 37-39	99-104 39-41	104-109 41-43	109-114 43-45	114-119 45-47
Inseam	75 29 7/8	77 30 1/2	79 31 1/8	81 31 3/4	82 32 3/8	84 33	85 33 5/8

Size	XS	S	M	L	XL	2XL	3XL
------	----	---	---	---	----	-----	-----

Men	in cm/inch						
Height	168-173 5'6"-5'8"	173-178 5'8"-5'10"	178-183 5'10"-6'0"	180-185 5'11"-6'1"	183-188 6'0"-6'2"	185-191 6'1"-6'3"	188-193 6'2"-6'4"
Chest	89-94 35-37	94-99 37-39	99-104 39-41	104-109 41-43	109-114 43-45	114-119 45-47	119-124 47-49
Waist	74-79 29-31	79-84 31-33	84-89 33-35	89-94 35-37	94-99 37-39	99-104 39-41	104-109 41-43
Hip	89-94 35-37	94-99 37-39	99-104 39-41	104-109 41-43	109-114 43-45	114-119 45-47	119-124 47-49
Torso	70 27 3/8	72 28 3/8	75 29 3/8	76 30	78 30 5/8	79 31 1/4	81 31 7/8
Inseam	76 30	79 31	81 32	83 32 1/2	84 33	85 33 1/2	86 34
Weight kg lbs	61-70 135-155	68-79 150-175	77-88 170-195	86-98 190-215	95-107 210-235	104-116 230-255	113-125 250-275
Size	S	M	ML	L	XL	2 XL	3 XL



MASKS / SNORKELS

Double lenses, high vision angle, extra low volume, ultra-clear glass, and soft skirts. Seeing the world under water is our motivation for diving. Quality and comfort for your stay under water.

Our freediving Snorkels are focused on simplicity and easy handling. Just breathe.



Available with GoPro mount



MC-15

Mask Two-Lens

Ultra-low Volume Mini-Mask / **Easy Equalization** / Silicone Skirt / **Two-button Tec Buckle**

This ultra-low volume mask is conceived and designed for free diving and spearfishing. Easy equalization due to its reduced size, and comfortable thanks to its soft silicone. The buckles are easy to remove thanks to its two Tec buttons. **Available in black or camouflage colors. Version with mirrored glass effect lens.**



AM-30

Mask Two Glass

Ultra-low volume mask /
Lens: Tempered glass /
Silicone Skirt and Strap /
Quick-Release Buckles /
Different colours available

Lightweight, ultra-low volume free dive mask. Its lenses are made of tempered glass. A comfortable mask thanks to its silicone skirt and strap and its quick release buckles. Choose your favourite colour and enjoy the sea.



AM-30

Apnea Mask



AM-40

Apnea Mask

Ultra-low volume mask /
Lens: Tempered glass /
Reinforced nose / **Silicone**
Skirt and Strap



Lightweight, ultra-low volume free dive mask. Its lenses are made of tempered glass. A comfortable mask thanks to its silicone skirt and strap and its quick release buckles. Reinforced nose for better grip.

AM-50

Apnea Mask

Ultra-low volume mask / **Enhanced peripheral vision** /
Impact resistant antifog polycarbonate lens / **Silicone**
skirt and strap



Lightweight, ultra-low volume free-dive mask. Its lenses are made of anti-fog polycarbonate and are impact resistant. We have also improved its peripheral vision. A comfortable mask thanks to its silicone skirt and strap.



SC-10

Snorkel Open-Top

Low-Profile J-snorkel / **Figure 8 retainer** / Snorkel tube with water transfer colors / **Silicone Mouthpiece**

This snorkel is conceived and designed for free diving and spearfishing. J-shaped, low-profile snorkel with 8-shaped retainer. Snorkel tube with water transfer colors and silicon mouthpiece. Available in black or camouflage colors.





FINS

Our apnea fins are designed for effortless dives at great depths. The more relaxed you are when reaching depth, the longer you can enjoy the dive. Efficient power transmission also makes you as fast and agile as a fish.

AF-70

Fins Freedive

Apnea Fin for free divers / **Foot pocket and blade made from rubber with a strong sole inlay** / Side rails of the blades allow them to bend over their entire length / **Blade connection designed to ensure maximum strength and durability**

The Apnea Fin was created and developed in our R&D department, where new technological concepts have been applied. The foot pocket provides full power transmission to the blade without any loss of energy. The side rails of the blades are short, which allows them to bend over their entire length. The blade connection system was designed to ensure maximum strength and durability in this stress area. The angle is set at 27°, providing the best performance/effort ratio for free divers.



S	36/38	L	41/42		
M	39/40	XL	43/44	2 XL	45/46

Length in cm - Depending from size
85 cm S (36/38) – 89 cm 2XL (45/46)
Weight per pair - Depending from size
1,6 kg S (36/37) – 1,7 kg 2XL (46/47)

designed in germany



Fins Freedive AF-70



Unisex	in cm/inch				
Foot Length	24 9 1/2	25 9 7/8	26 10 1/4	27 10 2/3	28 11
Europe Size	36-38	39-40	41-42	43-44	45-46
Size	S	M	L	XL	2 XL






SPEARGUNS

Three models available, covering your preferred style of heads, trigger and shafts. Made from solid components with different lengths, from 40cm to 105cm.


Important note for all spearguns

This product is not available in the following countries:
Austria, Belgium, Czech Republic, Denmark, Liechtenstein,
Germany, Luxembourg, Netherlands, Switzerland



SG-M
Open Rail Speargun

Aircraft-grade aluminium stock with integrated shaft guide / **Trigger sensitivity adjustment screw** / Removable butt pad / **Screw-in bands for simple single-band loading** / Notched heat Tahitian shaft




60	105 cm	85	120 cm
75	115 cm	95	130 cm
105	140 cm		



SG-E
Closed-Head Speargun


Round 28mm, (1 1/8") aircraft-grade aluminium barrel / **Screw-in bands for simple single-band loading** / Notched Tahitian shaftTahitian shaft



40	75 cm	60	95 cm
50	85 cm	75	115 cm

Important note for all spearguns

This product is not available in the following countries:
Austria, Belgium, Czech Republic, Denmark, Liechtenstein,
Germany, Luxembourg, Netherlands, Switzerland




SG-H
Multiband Speargun

Aircraft-grade aluminium stock with integrated shaft guide / **Tapered fractioned profile for improved manoeuvrability** / Handle with metal trigger mechanism / **Trigger sensitivity adjustment** / Removable chest-loading butt pad / **Enclosed track muzzle** / Open multiband muzzle / **Dyneema soft wishbones** / Shaft with laser-welded shark fin tabs



60	105 cm	85	120 cm	105	140 cm
75	115 cm	95	130 cm	125	160 cm





BAGS

Lightweight, functional, durable and, of course PVC-free bags. Small and large backpacks. Duffel 50 liters and 120 liters.

LDB-100

Duffle Bag

Water-resistant / **TPU Body** / HF welded seams / **Water-resistant zipper** / Detachable inner dry compartment with taped seams and water-resistant zipper / **Flexible backpack carry system with DN D-ring** / Fast access zipper outside pocket

LDB-100 Volume: 104 L

Measurements: 33 x 35 x 90 cm
Water resistance level: IPX 6

Large dive bag with welded seams, water-resistant zip and TPU cover. It contains a watertight and removable inner compartment, with taped seams and water-resistant zip. Easy to carry thanks to its backpack system, it also offers quick access to the outside pocket.

designed
engineered
in germany



LBP-50

Backpack

Water-resistant / **TPU Body** / HF welded seams / **Detachable inner dry compartment with water-resistant zipper** / Inner laptop compartment with zipped pocket / **Shoulder straps with DN D-ring hip belt and moveable chest strap** / Volume control through different closing possibilities / **Extra wide opening** / **Outer strap system and side pockets**

Volume: 53,5 L
Measurements: 33 x 20 x 60 cm
Water resistance level: IPX 6

designed
engineered
in germany

Large backpack with welded seams and TPU cover. Its removable inner dry compartment is taped, the zip is water-resistant. Includes a laptop compartment with an extra zipped pocket. Comfortable backpack thanks to its wide shoulder straps, its hip belt with ring and its mobile chest strap. It offers different closure options, a feature that allows you to easily control the volume according to your needs. It also contains side pockets.



LBP-30

Backpack

Water-resistant / **TPU Body** / HF welded seams / **Inner laptop compartment with zipped pocket** / Pocket with bottle holder / **Shoulder straps, hip belt and moveable chest strap**

Volume: 32 L
Dimensions: 31 x 16 x 55 cm
Water resistance level: IPX 6

designed
engineered
in germany




Small backpack with welded seams and TPU cover. Includes a laptop compartment with an extra zipped pocket and a bottle holder. Comfortable backpack thanks to its wide shoulder straps, its hip belt and its moveable chest strap.

LSF-65

Backpack Spearfishing

Body 900D Gucci Nylon / **Main fin compartment** / Insulated front compartment with detachable, welded rollbag inside / **Fixation straps** / Outer pockets for bottles and spearguns / **Side handle** / Camo colour / **Extra feature: Detachable, water-resistant (IPX 6) roll-bag**

Volume: 65 L
Measurements: 28 x 28 x 105 cm
Material: Nylon



Spearfishing backpack with main fin compartment and a separate insulated front compartment. It has outside straps to adjust the volume of the bag and a side handle for carrying. It also has external pockets for bottles and spearguns. Inside the front, there is a welded and detachable roll-up bag as dry compartment or to securely transport the catch.




designed
engineered
in germany

LFD-65

Backpack Freediving

Body 900D Gucci Nylon / **Main fin compartment** / Insulated front compartment / **Fixation straps** / Outer pockets for bottles / **Side handle** / **Extra feature: Detachable, water-resistant (IPX 6) roll-bag**

Volume: 65 L
Measurements: 28 x 28 x 105 cm
Material: Nylon



Freediving backpack with main fin compartment and a separate insulated front compartment. It has outside straps to adjust the volume of the bag and a side handle for carrying. It also has external pockets for bottles. Inside the front, there is a welded and detachable roll-up bag as dry compartment.



designed
engineered
in germany



LNB-95

Netbag



Polyester body / **Fast access zipper pocket outside** / Extra inside zipper pocket

Volume: 98 L
Measurements: 36 x 36 x 77 cm
Material: Nylon

Lightweight bag perfect for storing wet dive gear or if sharing a boat with other divers and don't want to mix gear. Contains a zipped pocket on the outside and an extra zipped pocket on the inside.

designed
engineered
in germany





ACCESSORIES

Neoprene accessories, belts, knives, and SMBs.

All the accessories you need to complement your diving gear.

DY-10

dynaskin Hood

100 % Windproof / **Water repellent** / Highly breathable / **Neutrally buoyant** / Resilient stretch / **Fast drying** / Odor free / **UV protection** / Easy care



In contrast to neoprene hoods, the Dynaskin hood provides a high level of comfort, thanks to its design and soft inner fabric, avoiding the tackling of the ears and facilitating its placement both on the surface and under water.

51% Polyester / 37 % Nylon
12 % Spandex



Unisex
black

S	M
L	XL

HO-30

Hood 3 mm

HO-50

Hood 5 mm

designed
in germany



Limestone neoprene



3 mm or 5 mm limestone neoprene hood to prevent heat loss and protect against accidental impacts during the dive.

Neoprene



Unisex
black

S	M
L	XL

GL-20

Gloves 1.5 mm

designed
in germany



Limestone neoprene



1.5 mm neoprene gloves to protect you from cold, the abrasions and cuts during the dive. Comfortable and very light for use in warm water. Palm, tips and inside of fingers reinforced for better resistance and excellent grip. Closure by means of leatherette flap with Velcro.

Neoprene and Amara



Unisex
black

S	M
L	XL

DY-20

dynaskin Socks

100 % Windproof / **Water repellent** / Highly breathable / **Neutrally buoyant** / Resilient stretch / **Fast drying** / Odor free / **UV protection** / Easy care



Short 3 mm neoprene booties ideal for warm water. Reinforced toe, instep, and heel for added protection. The rubber block on the heel prevents slippage of the fin strap. The moulded rubber soles are very durable and slip resistant and protect feet from sharp rocks and steep surfaces.

51% Polyester
37 % Nylon
12 % Spandex



Unisex
black

S	M
L	XL

SO-20

Socks 2 mm

designed
in germany



Limestone neoprene



2 mm neoprene socks to be worn directly with full-foot fins. The rubberized sole is elastic and non-slip, ideal for walking on boat decks and also offers some thermal protection. All seams are glued and stitched for strength and durability.

Neoprene, Rubber Sole



Unisex
black

2XS	XS	S	M
L	XL	2XL	3XL



Sizecharts

Socks / Boots / Gloves / Hoods



FOOT:
A. Measure foot length




Choose the size that best fits your foot and is most comfortable. By using the right size, you will not lose power and you will avoid overloading your muscles when kicking.

Unisex	in cm/inch									
Foot Length	22 8 2/3	23 9	24 9 1/2	25 9 7/8	26 10 1/4	27 10 2/3	28 11	29 11 1/2	30 11 7/8	31 12 1/4
Size	3XS	2XS	XS	S	M	L	XL	2XL	3XL	4XL



PALM:
A. Measure palm circumference and
B. palm length




More than 25% of body heat is lost through the head and extremities. It's important that your glove is fully fitted to your hand without leaving space for water circulation.

Unisex	in cm/inch						
Palm Circumference	16,5 - 18 6.5 - 7	17 - 18,5 6.75 - 7.25	18,5 - 19,5 7.25 - 7.75	19,5 - 21 7.75 - 8.25	20,5 - 21,5 8 - 8.5	21,5 - 23 8.5 - 9	22 - 23,5 8.75 - 9.25
Palm Length	16,5 - 18 6.5 - 7	17 - 18,5 6.75 - 7.25	18 - 19 7 - 7.5	19 - 20,5 7.5 - 8	19,5 - 21 7.75 - 8.25	20,5 - 21,5 8 - 8.5	21 - 22 8.25 - 8.75
Size	2XS	XS	S	M	L	XL	2XL



A. FOREHEAD:
Start in the center, front, and measure around the widest part.
B. NECK:
Start in the center, front, and measure around the middle of the neck.



More than 25% of body heat is lost through the head and extremities. It's important that your hood is fully fitted to your head without leaving space for water circulation.

Unisex	in cm/inch					
Forehead	53 21	54,5 21.5	57 22.5	59,5 23.5	61 24	62,5 24.5
Neck	35 13	35,5 14	38 15	40,5 16	43 17	45,5 18
Size	XS	S	M	L	XL	2XL



KMI-10

Knife

Stainless steel / **Hardness 55-56 HRC** / Knife straps / **Handle PP or TPE mix** / Blade 5.6 cm / **Weight 52 gr**



KES-10

Knife

Stainless steel / **Hardness 55-56 HRC** / Knife straps / **Handle PP or TPE mix** / Blade 11.7 cm / **Weight 270 gr**



KEP-10

Knife

Stainless steel / **Hardness 55-56 HRC** / Knife straps / **Handle PP or TPE mix** / Blade 9 cm / **Weight 275 gr**



KRA-10

Knife

Stainless steel / **Hardness 55-56 HRC** / Knife straps / **Handle PP or TPE mix** / Blade 8 cm / **Weight 149 gr**



KCL-10

Knife

Stainless steel / **Hardness 55-56 HRC** / Knife straps / **Handle PP or TPE mix** / Blade 4.3 cm / **Weight 152 gr**



KCU-10

Knife

Stainless steel / **Hardness 55-56 HRC** / Knife straps / **Handle PP or TPE mix** / Blade 11.5 cm / **Weight 200 gr**



KMP-10

Knife

Anodised Stainless steel / **Hardness 55-56 HRC** / Small and light-weight knife / **Non-slip handle** / Blade 6.2 cm / **Weight 80 gr**



KSU-09

Knife

Stainless steel / **Hardness 55-56 HRC** / Knife straps / **Ergonomic yellow PTE handle and lanyard hole** / Blade 8.5 cm / **Weight 105 gr** / Medium size knife



KSH-10

Knife

Stainless steel / **Hardness 55-56 HRC** / Ergonomic PTE handle / **Blade 8 cm** / Weight 75 gr / **Medium size knife**



KSO-10

Knife

Anodised Stainless steel / **Hardness 55-56 HRC** / Knife straps / **Ergonomic PTE handle** / Blade 7.0 cm / **Weight 80 gr** / Folding utility knife



FH-10

Fishholder



SMB-1

Surface Marker Buoy

SMB length 1.8 m / Width 15 cm



BSA-10

Bungee Shock Absorber



SMB-2

Surface Marker Buoy

SMB length 1.8 m / Width 15 cm / black reel 30m with pouch



BR-20

Weight Belt Rubber

Rubber belt / Classic INOX belt buckle / 50 mm width



SMB-3


Surface Marker Buoy

SMB length 1.5 m / Width 20 cm



LT-12


Latex Tubing 12 m



Our rubber bands are designed to be used by the most demanding spearfishermen. They are manufactured and protected with latex lining to improve their conservation. These rubber bands are available in circular and metre versions and in different colours with diameter of 12 mm.

DW-16

Dyneema Wishbone 16 mm



NB-09

Nylon Buckle Thread Pair 16 mm



CB-10

Circular Band Nylon Buckle 16 mm



NB-11

Nylon Buckle Thread Pair 18 mm



CB-12

Circular Band Nylon Buckle 18 mm



STN-06

Shaft Tahitian with Notches
Single Barb 6.5mm

Diameter: 6.5 mm / **INOX 17-4ph Stainless Steel** / Lance Tip:
Single barb with pointed tip /
Available in various lengths:
90/105/115/125/135/145 cm



SSF-03

Shaft Capture 3 Shark Fins
Single Barb 6.5mm

Harpoon Single Barb 6.5mm /
stainless steel shaft INOX 174 Ph / Spear tip: single fin barb
with pointed tip / **New laser clamping technology: shark fins** / Available in various lengths:
90/105/115/125/135/145 cm



WB-10

Wishbone Omega



WB-20

Wishbone „V“



WB-30

Wishbone Articulated
Round



WB-40

Wishbone Articulated
Round





AFTER SALES SERVICE

- 64 Warranty
- 64 Product registration
- 65 Service & Repair Center
- 66 Contact



All our products have a two-year limited warranty

In countries that have different legal regulations, **DYNAMICNORD** will apply the national regulations in force. **DYNAMICNORD** warrants to the original purchaser for a period from the date of purchase that the product will be free from defects in materials and workmanship, if it receives normal use, proper care, and prescribed dealer service.

Usually it is limited to a period of 2 years from the date of consumer's purchase of the Product ("Warranty Period") unless otherwise specified. Products or parts with limited lifetime or limited stability may have a reduced warranty time. This will be mentioned in the product description and/or manual. The purchase date must be verified by a valid sales document (tax receipt or sales receipt) and the product registration form.

Warranty coverage does not extend to damage caused by improper use, improper maintenance, neglect, unauthorized repairs, modifications, accidents, fire, casualty, or normal wear. Cosmetic damage, such as scratches, nicks, and fraying are not covered under warranty except when the product is new, out of the original packaging.

Warranty claims are only accepted upon return of the defective product along with the warranty certificate completed in full and signed by the Authorized **DYNAMICNORD** dealer, and accompanied by a valid sales document (tax receipt or sales receipt) showing the date of purchase. **DYNAMICNORD** reserves the right to refuse free service if the required documentation cannot be provided or if information is incomplete, illegible, or incorrect.

DYNAMICNORD rejects the payment of causally incurred consequential damages. Any repaired or replaced product (or part) does not extend the original warranty beyond the period of 2 years from original date of purchase.

DYNAMICNORD will refuse warranty service if the product was not purchased from an authorized **DYNAMICNORD** dealer as listed here, or not registered properly through product registration.

Defects or damages resulting from a failure in material or workmanship are covered by the **DYNAMICNORD** Warranty system.

Exceptions:

- Defects or damages caused by lack of or incorrect maintenance, or through negligence
- Defects or damage caused by heavy, unusual, or incorrect use
- Defects or damages caused by cleaning materials or other substances containing aggressive chemicals
- Defects or damages known or evident at the time of purchase of the product
- Defects or damages caused by improper assembly of the components
- Defects or damages caused by prolonged use of the product in chlorinated or polluted water
- Defects or damages caused by exposing the product to excessive temperatures, fire, or prolonged exposure to sunlight.

If you do not find the information you are looking for, please contact your local dealer or contact us directly through the support service.

**PRODUCT
REGISTRATION**



**PRODUCT
CARE &
MAINTENANCE**



Service & repair center

For us, the customer is the most important thing. Our after-sales service department dedicates maximum effort to resolving any incident with the greatest effectiveness and in the shortest possible time.

Located in Germany, our service center has extensive experience and follows very clear guidelines. We strive for quality of service and effectiveness of work to generate the fewest possible remainders and most importantly, to execute the work swiftly.

We are aware that service time is a very important issue for the client, and we work every day to reduce execution times without affecting the quality of our service.

NEOPRENE SERVICE:

DYNAMICNORD Watersport Suits Service
Hauptstraße 16 · 78253 Eigeltingen
Germany

angelika.arbogast@dynamicnord.com
Tel.: +49 (0)7774 / 92 38 666

TECHNICAL SERVICE:

DYNAMICNORD Technical Service Center
Pettenkoferstraße 12 · 83052 Bruckmühl
Germany

support@dynamicnord.com
Tel.: +49 (0)8061 38 98 33-0





Contact

Fifth Element GmbH
DYNAMICNORD
Pettenkoferstraße 12
83052 Bruckmühl/Germany
info@dynamicnord.com
© Fifth Element GmbH

Showroom Spain

Port Marina - Palamós
c/ Salvador Albert i Pey, 9
Local 7
17230 Palamós / Spain
expo.spain@dynamicnord.com
© Fifth Element GmbH

A big thanks to everybody who helped
us creating our brand **DYNAMICNORD** –
special thanks to all models and the
photo teams:
psmodels / www.ps-models.com
Ana Arce / www.anaarce.com
Ramon Casabayo & Manel Montoro
www.filmand.net
Jordi Chias / www.uwaterphoto.com
Jan Schmiedel / www.janschmiedel.de

We don't say goodbye, we say...

see you soon!

We love communities



DYNAMICNORD.COM