



NORD  
**DYNAMIC**

ESTABLISHED  
IN 2023



**SPEARFISHING**

**DYNAMICNORD.COM**



NORD  
**DYNAMIC**

Sustainable,  
innovative and functional  
diving equipment



**Masks** → *Page 28*

**Wetsuits**

→ *Page 6*



*Page 28*

**Fins**

→ *Page 27*

**Snorkels**



**Spearguns**

→ *Page 34*

**Content**

**Our products**

- 6 Wetsuits
- 18 Masks
- 27 Snorkels
- 28 Fins
- 34 Spearguns
- 46 Bags
- 56 Accessories

**Service**

- 70 Warranty
- 70 Product Registration
- 71 Service & Repair Center
- 72 Contact



## WETSUITS

Different models, colors and thicknesses to satisfy your needs. Furthermore, our neoprene is eco-friendly!



## SFS-2

Freedive Wetsuit 1.5mm 2pc

## SFS-3

Freedive Wetsuit 3mm 2pc


## SFS-5

Freedive Wetsuit 5mm 2pc

Yamamoto Grade 39/45  
100% CR neoprene / **Flex lamination for ultra 4-way stretch** / Super flexible and comfortable / **Open Cell-1.5, 3 & 5mm** / Antibacterial properties / **Low friction, reducing muscle fatigue** / Double-clip system beaver tail – 2 pc suits / **Built-in loading chest pad** / Reinforced knees and rear / **Vented hood releases excess air**

Our Yamamoto 39/45 grade CR wetsuit is super flexible and comfortable. Its outer laminate is 4-way stretch. It incorporates a ventilated hood to release excess air, a load-bearing chest pad, and reinforced knees and back. 1.5, 3 and 5mm open-cell neoprene inner, double beavertail clip fastening system, and anti-bacterial properties.





90% Neoprene / 10% Nylon



XS	S	M	L
XL	2XL	3XL	

designed in germany Limestone neoprene

For more details see sizechart on page 16/17



SE-31

Wetsuit 3mm

SE-51-H

Wetsuit Hood 5mm

SE-32

Wetsuit 3mm

SE-52-H

Wetsuit Hood 5mm



With hood and front zipper / Reinforced shoulders and knees / Resistant against mechanical abrasion

This is the perfect wetsuit for dive centers, schools and dive clubs with hood and front zip for a more protected diving experience. The fullsuit with hood and front-zipper is available in 5 – 7mm. The neoprene is abrasion resistant and the fullsuits have reinforcements on shoulder and knees.

85% Neoprene / 15% Nylon

designed in germany Limestone neoprene

Men black/grey

XS	S	M	ML
L	XL	2XL	3XL

Women black/grey

XS	S	M	L
XL	2XL	3XL	

For more details see sizechart on page 16/17








# FDS-2

Freedive Wetsuit 1.5mm 1 pc

Yamamoto Grade 39/45  
 100% CR neoprene / **Flex lamination for ultra 4-way stretch** / Super flexible and comfortable / **Anti-bacterial properties** / Low friction, reducing muscle fatigue / **Abrasion protection on chest, knees, elbows and buttocks** / Protected back zipper

Our Yamamoto 39/45 grade wetsuit is characterized by being extremely light and elastic in all directions, excellent for swimming, reduces fatigue, resistant, easy to take off and put on. Ergonomic cut and pre-shaped legs and arms. Its camouflage design is perfect for freediving and spearfishing. The chest, elbows, buttocks and knees are reinforced against abrasion by printing polyurethane dots. Its back zipper is protected by an outer flap to avoid tears and abrasion effect. Good antibacterial properties.

90% Neoprene / 10% Nylon



XS	S	M	L
XL	2XL	3XL	

designed in germany  Limestone neoprene

For more details see sizechart on page 16/17





Overview  
Wetsuits


Sizechart  
Wetsuits

Men


SFS-2  
SFS-3  
SFS-5



FDS-2



SE-31




SE-51-H





Women

SE-32



SE-52-H



- A. WEIGHT: As close as you can accurately determine
- B. HEIGHT: From the top of your head to the floor
- C. CHEST: The front surface between the neck and the stomach
- D. WAIST: The part below the ribs and above the hips
- E. HIP: The circumference of the body at the buttocks
- F. TORSO: The trunk of the human body
- G. INSEAM: Inside leg. Measure from crotch to floor.

It's very important that you choose your size carefully. The wetsuit should fit tightly to the body. The neoprene must always be in contact with the skin because pockets of air bags will make you lose thermal power.

These size charts are valid for 3mm, 5mm and 7mm wetsuits.

1.5/3 mm

- Camo/Blue
- Camo/Brown
- Camo/Green
- Camo/Grey

- XS
- S
- M
- L
- XL
- 2 XL
- 3 XL

1.5 mm

- Camo/Blue
- Camo/Grey

- XS
- S
- M
- L
- XL
- 2 XL
- 3 XL

3/5/7 mm

- Black/Grey

- XS
- S
- M
- ML
- L
- XL
- 2 XL
- 3 XL

5/7 mm

- Black/Grey

- XS
- S
- M
- ML
- L
- XL
- 2 XL
- 3 XL

3/5/7 mm

- Black/Grey

- XS
- S
- M
- L
- XL
- 2 XL
- 3 XL

5/7 mm

- Black/Grey

- XS
- S
- M
- L
- XL
- 2 XL
- 3 XL

Women	in cm/inch						
Height	157-163 5'2"-5'4"	160-165 5'3"-5'5"	163-168 5'4"-5'6"	165-170 5'5"-5'7"	168-173 5'6"-5'8"	170-175 5'7"-5'9"	173-178 5'8"-5'10"
Chest	76-81 30-32	81-86 32-34	86-91 34-36	91-97 36-38	97-102 38-40	102-107 40-42	107-112 42-44
Waist	58-64 23-25	64-69 25-27	69-74 27-29	74-79 29-31	79-84 31-33	84-89 33-35	89-94 35-37
Hip	84-89 33-35	89-94 35-37	94-99 37-39	99-104 39-41	104-109 41-43	109-114 43-45	114-119 45-47
Inseam	75 29 7/8	77 30 1/2	79 31 1/8	81 31 3/4	82 32 3/8	84 33	85 33 5/8
Size	XS	S	M	L	XL	2XL	3XL

Men	in cm/inch						
Height	168-173 5'6"-5'8"	173-178 5'8"-5'10"	178-183 5'10"-6'0"	180-185 5'11"-6'1"	183-188 6'0"-6'2"	185-191 6'1"-6'3"	188-193 6'2"-6'4"
Chest	89-94 35-37	94-99 37-39	99-104 39-41	104-109 41-43	109-114 43-45	114-119 45-47	119-124 47-49
Waist	74-79 29-31	79-84 31-33	84-89 33-35	89-94 35-37	94-99 37-39	99-104 39-41	104-109 41-43
Hip	89-94 35-37	94-99 37-39	99-104 39-41	104-109 41-43	109-114 43-45	114-119 45-47	119-124 47-49
Torso	70 27 3/8	72 28 3/8	75 29 3/8	76 30	78 30 5/8	79 31 1/4	81 31 7/8
Inseam	76 30	79 31	81 32	83 32 1/2	84 33	85 33 1/2	86 34
Weight kg lbs	61-70 135-155	68-79 150-175	77-88 170-195	86-98 190-215	95-107 210-235	104-116 230-255	113-125 250-275
Size	S	M	ML	L	XL	2 XL	3 XL



**MASKS / SNORKELS**

Double lenses, high vision angle, extra low volume, ultra-clear glass, and soft skirts. Seeing the world under water is our motivation for diving. Quality and comfort for your stay under water.

Our freediving snorkels are focused on simplicity and easy handling. Just breathe.



Available with GoPro mount



# MC-15

## Mask Two-Lens

Ultra-low Volume Mini-Mask / **Easy Equalization** / Silicone Skirt / **Two-button Tec Buckle**

This ultra-low volume mask is conceived and designed for free diving and spearfishing. Easy equalization due to its reduced size, and comfortable thanks to its soft silicone. The buckles are easy to remove thanks to its two Tec buttons. **Available in black or camouflage colors. Version with mirrored glass effect lens.**



# AM-30

## Mask Two Glass

Ultra-low volume mask /  
**Lens: Tempered glass** /  
Silicone Skirt and Strap /  
**Quick-Release Buckles** /  
Different colors available

Lightweight, ultra-low volume free dive mask. Its lenses are made of tempered glass. A comfortable mask thanks to its silicone skirt and strap and its quick release buckles. Choose your favourite color and enjoy the sea.



AM-30

Apnea Mask



AM-40

Apnea Mask

Ultra-low volume mask /  
**Lens: Tempered glass** /  
Reinforced nose / **Silicone**  
**Skirt and Strap**



Lightweight, ultra-low volume free dive mask. Its lenses are made of tempered glass. A comfortable mask thanks to its silicone skirt and strap and its quick release buckles. Reinforced nose for better grip.

AM-50

Apnea Mask

Ultra-low volume mask / **Enhanced peripheral vision** /  
Impact resistant antifog  
polycarbonate lens / **Silicone**  
**skirt and strap**



Lightweight, ultra-low volume free-dive mask. Its lenses are made of anti-fog polycarbonate and are impact resistant. We have also improved its peripheral vision. A comfortable mask thanks to its silicone skirt and strap.



# SC-10

## Snorkel Open-Top

Low-Profile J-snorkel / **Figure 8 retainer** / Snorkel tube with water transfer colors / **Silicone Mouthpiece**

This snorkel is conceived and designed for free diving and spearfishing. J-shaped, low-profile snorkel with 8-shaped retainer. Snorkel tube with water transfer colors and silicon mouthpiece. Available in black or camouflage colors.





## FINS

Our apnea fins are designed for effortless dives at great depths. The more relaxed you are when reaching depth, the longer you can enjoy the dive. Efficient power transmission also makes you as fast and agile as a fish.

# AF-70

Fins Freedive

Apnea Fin for free divers / **Foot pocket and blade made from rubber with a strong sole inlay** / Side rails of the blades allow them to bend over their entire length / **Blade connection designed to ensure maximum strength and durability**



The Apnea Fin was created and developed in our R&D department, where new technological concepts have been applied. The foot pocket provides full power transmission to the blade without any loss of energy. The side rails of the blades are short, which allows them to bend over their entire length. The blade connection system was designed to ensure maximum strength and durability in this stress area. The angle is set at 27°, providing the best performance/effort ratio for free divers.



<b>S</b>	<b>36/38</b>	<b>L</b>	<b>41/42</b>
<b>M</b>	<b>39/40</b>	<b>XL</b>	<b>43/44</b>
		<b>2 XL</b>	<b>45/46</b>

**Length in cm** - Depending from size  
85cm S (36/38) – 89cm 2XL (45/46)

**Weight per pair** - Depending from size  
1,6kg S (36/37) – 1,7kg 2XL (46/47)

designed  
in germany



## Fins Freedive AF-70



Unisex	in cm/inch				
Foot Length	24 9 1/2	25 9 7/8	26 10 1/4	27 10 2/3	28 11
Europe Size	36-38	39-40	41-42	43-44	45-46
Size	S	M	L	XL	2 XL








## SPEARGUNS

Eight models available, covering your preferred style of heads, trigger and shafts. Made from solid components with different lengths, from 40cm to 125cm.

**Important note for all spearguns**

This product is not available in the following countries:  
Austria, Belgium, Czech Republic, Denmark, Liechtenstein,  
Germany, Luxembourg, Netherlands, Switzerland




**SG-M**  
Open Rail Speargun

Aircraft-grade aluminium stock with integrated shaft guide / **Trigger sensitivity adjustment screw** / Removable butt pad / **Screw-in bands for simple single-band loading** / Notched heat Tahitian shaft




**SG-E**  
Closed-Head Speargun

Round 28mm, (1 1/8") aircraft-grade aluminium barrel / **Screw-in bands for simple single-band loading** / Notched Tahitian shaft




- 60 cm
- 105 cm
- 85 cm
- 120 cm
- 75 cm
- 115 cm
- 95 cm
- 130 cm
- 105 cm
- 140 cm



- 40 cm
- 75 cm
- 60 cm
- 95 cm
- 50 cm
- 85 cm
- 75 cm
- 115 cm

## Important note for all spearguns

This product is not available in the following countries:  
Austria, Belgium, Czech Republic, Denmark, Liechtenstein,  
Germany, Luxembourg, Netherlands, Switzerland




## SG-H Multiband Speargun

Aircraft-grade aluminium stock with integrated shaft guide / **Tapered fractioned profile for improved manoeuvrability** / Handle with metal trigger mechanism / **Trigger sensitivity adjustment** / Removable chest-loading butt pad / **Enclosed track muzzle** / Open multiband muzzle / **Dyneema soft wishbones** / Shaft with laser-welded shark fin tabs



75 cm	115 cm	95 cm	130 cm
105 cm	140 cm	125 cm	160 cm



**Important note for all spearguns**

This product is not available in the following countries:  
Austria, Belgium, Czech Republic, Denmark, Liechtenstein,  
Germany, Luxembourg, Netherlands, Switzerland

**AG-E**

**Closed Head Speargun**

Closed Head Speargun with standard aluminium barrel and closed muzzle / **Plastic line holder, plastic rear support, plastic trigger mechanism** / Standard wire wishbone type / **14mm rubber band** / Rubber lengths: 12, 15 and 18cm in full black



45 cm 60 cm 60 cm 75 cm 75 cm 90 cm

**AG-P**

**Open Rail Speargun**

Open Rail Speargun with glued aluminium barrel and open muzzle / **Cast line holder, plastic rear support, metal trigger mechanism** / Articulated wishbone type with treads / 18mm rubber band / **Rubber lengths: 38, 40, 48 and 56cm in black/amber** / TPE shock absorber



50 cm 80 cm 60 cm 90 cm  
75 cm 115 cm 90 cm 130 cm

### Important note for all spearguns

This product is not available in the following countries:  
Austria, Belgium, Czech Republic, Denmark, Liechtenstein,  
Germany, Luxembourg, Netherlands, Switzerland

## AG-C

### Closed Head Speargun

Closed Head Speargun with self railed aluminium barrel and closed muzzle / **Line release metal left, metal trigger mechanism** / Articulated wishbone type with treads / 16 mm rubber band / **Rubber lengths: 16, 20 and 24cm in black/amber** / Rubber shock absorber



## AG-M

### Open Rail Speargun

Open Rail Speargun with self railed aluminium barrel and Pelican muzzle / **Line release metal left, metal trigger mechanism** / Knodded wishbone type / **Dual 16mm rubber band** / Rubber lengths: 48, 56 and 60cm in black/amber / **30m reel**



## Important note for all spearguns

This product is not available in the following countries:  
Austria, Belgium, Czech Republic, Denmark, Liechtenstein,  
Germany, Luxembourg, Netherlands, Switzerland

# AG-R

## Carbon Open Rail Speargun

Open Rail Speargun with self railed Carbon barrel and Pelican muzzle / **Line release metal left, metal trigger mechanism** / Standard wire wishbone type / **Dual 16mm rubber band** / Rubber lengths: 48, 58 and 62cm in black/amber / **30m reel**



75 cm | 115 cm | 95 cm | 140 cm | 115 cm | 160 cm





**BAGS**

Lightweight, functional, durable and, of course PVC-free bags. Small and large backpacks. Duffel 50 liters and 120 liters.



# LDB-100

## Duffle Bag

Water-resistant / TPU  
Body / HF welded seams /  
Water-resistant zipper /  
Detachable inner dry  
compartment with taped  
seams and water-resistant  
zipper / Flexible backpack  
carry system with DN D-  
ring / Fast access zipper  
outside pocket



**LDB-100 Volume: 104L**

Measurements: 33 x 35 x 90cm  
Water resistance level: IPX 6

Large dive bag with welded seams, water-resistant zip and TPU cover. It contains a watertight and removable inner compartment, with taped seams and waterresistant zip. Easy to carry thanks to its backpack system, it also offers quick access to the outside pocket.

designed  
engineered  
in germany



# LBP-50

## Backpack

Water-resistant / TPU  
Body / HF welded seams /  
Detachable inner dry com-  
partment with water-resis-  
tant zipper / Inner laptop  
compartment with zipped  
pocket / Shoulder straps  
with DN D-ring hip belt and  
moveable chest strap /  
Volume control through  
different closing possibili-  
ties / Extra wide opening /  
Outer strap system and  
side pockets

Volume: 53,5L

Measurements: 33 x 20 x 60cm

Water resistance level: IPX 6



Large backpack with welded seams and TPU cover. Its removable inner dry compartment is taped, the zip is water-resistant. Includes a laptop compartment with an extra zipped pocket. Comfortable backpack thanks to its wide shoulder straps, its hip belt with ring and its mobile chest strap. It offers different closure options, a feature that allows you to easily control the volume according to your needs. It also contains side pockets.

designed  
engineered  
in germany



# LBP-30

## Backpack

Water-resistant / TPU  
Body / HF welded seams /  
Inner laptop compartment  
with zipped pocket /  
Pocket with bottle holder /  
Shoulder straps, hip belt  
and moveable chest strap

Volume: 32L

Dimensions: 31 x 16 x 55cm

Water resistance level: IPX 6

designed  
engineered  
in germany



Small backpack with welded seams and TPU cover. Includes a laptop compartment with an extra zipped pocket and a bottle holder. Comfortable backpack thanks to its wide shoulder straps, its hip belt and its moveable chest strap.

# LSF-65

## Backpack Spearfishing

Body 900D Gucci Nylon / **Main fin compartment** / Insulated front compartment with detachable, welded rollbag inside / **Fixation straps** / Outer pockets for bottles and spearguns / **Side handle** / Camo color / **Extra feature: Detachable, water-resistant (IPX 6) roll-bag**

**Volume: 65L**  
Measurements: 28 x 28 x 105cm  
Material: Nylon



Spearfishing backpack with main fin compartment and a separate insulated front compartment. It has outside straps to adjust the volume of the bag and a side handle for carrying. It also has external pockets for bottles and spearguns. Inside the front, there is a welded and detachable roll-up bag as dry compartment or to securely transport the catch.

designed  
engineered  
in germany

# LFD-65

## Backpack Freediving

Body 900D Gucci Nylon / **Main fin compartment** / Insulated front compartment / **Fixation straps** / Outer pockets for bottles / **Side handle** / **Extra feature: Detachable, water-resistant (IPX 6) roll-bag**

**Volume: 65L**  
Measurements: 28 x 28 x 105cm  
Material: Nylon



Freediving backpack with main fin compartment and a separate insulated front compartment. It has outside straps to adjust the volume of the bag and a side handle for carrying. It also has external pockets for bottles. Inside the front, there is a welded and detachable roll-up bag as dry compartment.

designed  
engineered  
in germany

# LNB-95

## Netbag

Polyester body / **Fast access zipper pocket outside** / Extra inside zipper pocket



**Volume: 98L**  
Measurements: 36 x 36 x 77cm  
Material: Nylon

Lightweight bag perfect for storing wet dive gear or if sharing a boat with other divers and don't want to mix gear. Contains a zipped pocket on the outside and an extra zipped pocket on the inside.



designed  
engineered  
in germany





### ACCESSORIES

Neoprene accessories, belts, knives, and SMBs.

All the accessories you need to complement your diving gear.

# DY-10

dynaskin Hood

100% Windproof / **Water repellent** / Highly breathable / **Neutrally buoyant** / Resilient stretch / **Fast drying** / Odor free / **UV protection** / Easy care



In contrast to neoprene hoods, the Dynaskin hood provides a high level of comfort, thanks to its design and soft inner fabric, avoiding the tacking of the ears and facilitating its placement both on the surface and under water.

51% Polyester / 37% Nylon  
12% Spandex

● **Unisex black**

<b>S</b>	<b>M</b>
<b>L</b>	<b>XL</b>

# HO-30

Hood 3mm

# HO-50

Hood 5mm



3mm or 5mm limestone neoprene hood to prevent heat loss and protect against accidental impacts during the dive.

Neoprene

● **Unisex black**

<b>S</b>	<b>M</b>
<b>L</b>	<b>XL</b>

# GL-20

Gloves 1.5mm



1.5mm neoprene gloves to protect you from cold, the abrasions and cuts during the dive. Comfortable and very light for use in warm water. Palm, tips and inside of fingers reinforced for better resistance and excellent grip. Closure by means of leatherette flap with Velcro.

Neoprene and Amara

● **Unisex black**

<b>S</b>	<b>M</b>
<b>L</b>	<b>XL</b>

# DY-20

dynaskin Socks

100% Windproof / **Water repellent** / Highly breathable / **Neutrally buoyant** / Resilient stretch / **Fast drying** / Odor free / **UV protection** / Easy care



Short 3mm neoprene booties ideal for warm water. Reinforced toe, instep, and heel for added protection. The rubber block on the heel prevents slippage of the fin strap. The moulded rubber soles are very durable and slip resistant and protect feet from sharp rocks and steep surfaces.

51% Polyester  
37% Nylon  
12% Spandex

● **Unisex black**

<b>S</b>	<b>M</b>
<b>L</b>	<b>XL</b>

# SO-20

Socks 2mm

designed in germany

Limestone neoprene



2mm neoprene socks to be worn directly with full-foot fins. The rubberized sole is elastic and non-slip, ideal for walking on boat decks and also offers some thermal protection. All seams are glued and stitched for strength and durability.

Neoprene, Rubber Sole

● **Unisex black**

<b>2XS</b>	<b>XS</b>	<b>S</b>	<b>M</b>
<b>L</b>	<b>XL</b>	<b>2XL</b>	<b>3XL</b>





## Sizecharts Socks / Boots / Gloves / Hoods



**FOOT:**  
A. Measure foot length




Choose the size that best fits your foot and is most comfortable. By using the right size, you will not lose power and you will avoid overloading your muscles when kicking.

Unisex	in cm/inch									
Foot Length	22 8 2/3	23 9	24 9 1/2	25 9 7/8	26 10 1/4	27 10 2/3	28 11	29 11 1/2	30 11 7/8	31 12 1/4
Size	<b>3XS</b>	<b>2XS</b>	<b>XS</b>	<b>S</b>	<b>M</b>	<b>L</b>	<b>XL</b>	<b>2XL</b>	<b>3XL</b>	<b>4XL</b>



**PALM:**  
A. Measure palm circumference and  
B. palm length




More than 25% of body heat is lost through the head and extremities. It's important that your glove is fully fitted to your hand without leaving space for water circulation.

Unisex	in cm/inch						
Palm Circumference	16,5 - 18 6.5 - 7	17 - 18,5 6.75 - 7.25	18,5 - 19,5 7.25 - 7.75	19,5 - 21 7.75 - 8.25	20,5 - 21,5 8 - 8.5	21,5 - 23 8.5 - 9	22 - 23,5 8.75 - 9.25
Palm Length	16,5 - 18 6.5 - 7	17 - 18,5 6.75 - 7.25	18 - 19 7 - 7.5	19 - 20,5 7.5 - 8	19,5 - 21 7.75 - 8.25	20,5 - 21,5 8 - 8.5	21 - 22 8.25 - 8.75
Size	<b>2XS</b>	<b>XS</b>	<b>S</b>	<b>M</b>	<b>L</b>	<b>XL</b>	<b>2XL</b>



**A. FOREHEAD:**  
Start in the center, front, and measure around the widest part.  
**B. NECK:**  
Start in the center, front, and measure around the middle of the neck.



More than 25% of body heat is lost through the head and extremities. It's important that your hood is fully fitted to your head without leaving space for water circulation.

Unisex	in cm/inch					
Forehead	53 21	54,5 21.5	57 22.5	59,5 23.5	61 24	62,5 24.5
Neck	35 13	35,5 14	38 15	40,5 16	43 17	45,5 18
Size	<b>XS</b>	<b>S</b>	<b>M</b>	<b>L</b>	<b>XL</b>	<b>2XL</b>



# KMI-10

## Knife

Stainless steel / **Hardness 55-56 HRC** / Knife straps / **Handle PP or TPE mix** / Blade 5.6cm / **Weight 52gr**



# KES-10

## Knife

Stainless steel / **Hardness 55-56 HRC** / Knife straps / **Handle PP or TPE mix** / Blade 11.7cm / **Weight 270gr**



# KEP-10

## Knife

Stainless steel / **Hardness 55-56 HRC** / Knife straps / **Handle PP or TPE mix** / Blade 9cm / **Weight 275gr**



# KRA-10

## Knife

Stainless steel / **Hardness 55-56 HRC** / Knife straps / **Handle PP or TPE mix** / Blade 8cm / **Weight 149gr**



# KCL-10

## Knife

Stainless steel / **Hardness 55-56 HRC** / Knife straps / **Handle PP or TPE mix** / Blade 4.3cm / **Weight 152gr**



# KCU-10

## Knife

Stainless steel / **Hardness 55-56 HRC** / Knife straps / **Handle PP or TPE mix** / Blade 11.5cm / **Weight 200gr**



# KMP-10

## Knife

Anodised Stainless steel / **Hardness 55-56 HRC** / Small and light-weight knife / **Non-slip handle** / Blade 6.2cm / **Weight 80gr**



# KSU-09

## Knife

Stainless steel / **Hardness 55-56 HRC** / Knife straps / **Ergonomic yellow PTE handle and lanyard hole** / Blade 8.5cm / **Weight 105gr** / Medium size knife



# KSH-10

## Knife

Stainless steel / **Hardness 55-56 HRC** / Ergonomic PTE handle / **Blade 8cm** / **Weight 75gr** / Medium size knife



# KSO-10

## Knife

Anodised Stainless steel / **Hardness 55-56 HRC** / Knife straps / **Ergonomic PTE handle** / Blade 7cm / **Weight 80gr** / Folding utility knife





# FH-10


Fishholder



# SMB-1

Surface Marker Buoy

SMB length 1.8m / Width 15cm



# BSA-10


Bungee Shock Absorber



# SMB-2

Surface Marker Buoy

SMB length 1.8m / Width 15cm / black reel 30m with pouch



# BR-20

Weight Belt Rubber

Rubber belt / Classic INOX belt buckle / 50mm width



# SMB-3

Surface Marker Buoy

SMB length 1.5m / Width 20cm




# LT-12

Latex Tubing 12m

● ● ●  
14 cm 16 cm

● ●  
18 cm 19 cm

Our rubber bands are designed to be used by the most demanding spearfishermen. They are manufactured and protected with latex lining to improve their conservation. These rubber bands are available in circular and metre versions and in different colors and diameters.



# DW-16

Dyneema Wishbone 16mm

48 cm 50 cm  
52 cm 54 cm  
56 cm 58 cm  
60 cm 62 cm



# NB-09

Nylon Buckle Thread Pair 16mm



16 cm 18 cm 20 cm 22 cm  
24 cm 26 cm 28 cm

# CB-10

Circular Band Nylon Buckle 16mm



48 cm 50 cm 52 cm 54 cm  
56 cm 58 cm 60 cm 62 cm

# NB-11

Nylon Buckle Thread Pair 18mm



16 cm 18 cm 20 cm 22 cm  
24 cm 26 cm 28 cm

# CB-12

Circular Band Nylon Buckle 18mm



48 cm 50 cm 52 cm 54 cm  
56 cm 58 cm 60 cm 62 cm

# STN-06

Shaft Tahitian with Notches  
Single Barb 6.5mm

Diameter: 6.5 mm / INOX 17-4ph Stainless Steel / Lance Tip: Single barb with pointed tip / Available in various lengths: 90/105/115/125/135/145cm



# SSF-03

Shaft Capture 3 Shark Fins  
Single Barb 6.5mm

Harpoon Single Barb 6.5mm / Stainless steel shaft INOX 174Ph / Spear tip: single fin barb with pointed tip / New laser clamping technology: shark fins / Available in various lengths: 90/105/115/125/135/145cm



# WB-10

Wishbone Omega



# WB-20

Wishbone „V“



# WB-30

Wishbone Articulated Round



# WB-40

Wishbone Articulated Round





## AFTER SALES SERVICE

- 64 Warranty
- 64 Product registration
- 65 Service & Repair Center
- 66 Contact



# All our products have a two-year limited warranty

In countries that have different legal regulations, **DYNAMICNORD** will apply the national regulations in force. **DYNAMICNORD** warrants to the original purchaser for a period from the date of purchase that the product will be free from defects in materials and workmanship, if it receives normal use, proper care, and prescribed dealer service.

Usually it is limited to a period of 2 years from the date of consumer's purchase of the Product ("Warranty Period") unless otherwise specified. Products or parts with limited lifetime or limited stability may have a reduced warranty time. This will be mentioned in the product description and/or manual. The purchase date must be verified by a valid sales document (tax receipt or sales receipt) and the product registration form.

Warranty coverage does not extend to damage caused by improper use, improper maintenance, neglect, unauthorized repairs, modifications, accidents, fire, casualty, or normal wear. Cosmetic damage, such as scratches, nicks, and fraying are not covered under warranty except when the product is new, out of the original packaging.

Warranty claims are only accepted upon return of the defective product along with the warranty certificate completed in full and signed by the Authorized **DYNAMICNORD** dealer, and accompanied by a valid sales document (tax receipt or sales receipt) showing the date of purchase. **DYNAMICNORD** reserves the right to refuse free service if the required documentation cannot be provided or if information is incomplete, illegible, or incorrect.

**DYNAMICNORD** rejects the payment of causally incurred consequential damages. Any repaired or replaced product (or part) does not extend the original warranty beyond the period of 2 years from original date of purchase.

**DYNAMICNORD** will refuse warranty service if the product was not purchased from an authorized **DYNAMICNORD** dealer as listed here, or not registered properly through product registration.

Defects or damages resulting from a failure in material or workmanship are covered by the **DYNAMICNORD** Warranty system.

Exceptions:

- Defects or damages caused by lack of or incorrect maintenance, or through negligence
- Defects or damage caused by heavy, unusual, or incorrect use
- Defects or damages caused by cleaning materials or other substances containing aggressive chemicals
- Defects or damages known or evident at the time of purchase of the product
- Defects or damages caused by improper assembly of the components
- Defects or damages caused by prolonged use of the product in chlorinated or polluted water
- Defects or damages caused by exposing the product to excessive temperatures, fire, or prolonged exposure to sunlight.

If you do not find the information you are looking for, please contact your local dealer or contact us directly through the support service.

**PRODUCT REGISTRATION**



**PRODUCT CARE & MAINTENANCE**



## Service & repair center

For us, the customer is the most important thing. Our after-sales service department dedicates maximum effort to resolving any incident with the greatest effectiveness and in the shortest possible time.

Located in Germany, our service center has extensive experience and follows very clear guidelines. We strive for quality of service and effectiveness of work to generate the fewest possible remainders and most importantly, to execute the work swiftly.

We are aware that service time is a very important issue for the client, and we work every day to reduce execution times without affecting the quality of our service.

### NEOPRENE SERVICE:

**DYNAMICNORD Watersport Suits Service**  
Hauptstraße 16 · 78253 Eigeltingen  
Germany

[angelika.arbogast@dynamicnord.com](mailto:angelika.arbogast@dynamicnord.com)  
Tel.: +49 (0)7774 / 92 38 666

### TECHNICAL SERVICE:

**DYNAMICNORD Technical Service Center**  
Pettenkoferstraße 12 · 83052 Bruckmühl  
Germany

[support@dynamicnord.com](mailto:support@dynamicnord.com)  
Tel.: +49 (0)8061 38 98 33-0





72

## Contact

Fifth Element GmbH  
**DYNAMICNORD**  
Pettenkoferstraße 12  
83052 Bruckmühl/Germany  
[info@dynamicnord.com](mailto:info@dynamicnord.com)  
© Fifth Element GmbH

## Showroom Spain

Port Marina - Palamós  
c/ Salvador Albert i Pey, 9  
Local 7  
17230 Palamós / Spain  
+ 34 623 523 297  
[expo.spain@dynamicnord.com](mailto:expo.spain@dynamicnord.com)  
© Fifth Element GmbH

A big thanks to everybody who helped us creating our brand **DYNAMICNORD** – special thanks to all models and the photo teams:

psmodels / [www.ps-models.com](http://www.ps-models.com)

Ana Arce / [www.anaarce.com](http://www.anaarce.com)

Ramon Casabayo & Manel Montoro  
[www.filmad.net](http://www.filmad.net)

Jordi Chias / [www.uwaterphoto.com](http://www.uwaterphoto.com)

Jan Schmiedel / [www.janschmiedel.de](http://www.janschmiedel.de)

Product and information is subject to change without prior notice.

We don't say goodbye, we say...

# see you soon!

**We love communities**



**DYNAMICNORD.COM**